




LEGEND	
SQ. FT.	SQUARE FEET
U.E.	UTILITY EASEMENT
R.O.W.	RIGHT-OF-WAY
VOL.	VOLUME
PG.	PAGE
MIN. FF.	MINIMUM FINISH FLOOR ELEVATION
O.P.R.T.C.T.	OFFICIAL PUBLIC RECORDS, TARRANT COUNTY, TEXAS
D.R.T.C.T.	DEED RECORDS, TARRANT COUNTY, TEXAS
P.R.T.C.T.	PLAT RECORDS, TARRANT COUNTY, TEXAS
R.C.F.	REBAR CAPPED FOUND
VIS. ESMT.	VISIBILITY EASEMENT
P.A.E.	PUBLIC ACCESS EASEMENT



FINAL PLAT
OF
HUNTERS RIDGE, PHASE I
LOTS
1-47, 48X, 49X, BLOCK A, 1-12, 13X, 14X, BLOCK B
1-33, 34X, BLOCK C, 1-28, 29X, BLOCK D
1-19, 20X, BLOCK E, 1-26, 27X, BLOCK F
1-24, BLOCK G, 1-10, BLOCK H
1-24, BLOCK I, 1-21, BLOCK J
BEING
244 RESIDENTIAL LOTS
7 OPEN SPACE LOTS
1 GAS WELL LOT
90.084 ACRES
ZONING: SF-7.2
SITUATED IN THE
HIRAM WALKER SURVEY, ABSTRACT No. 1622,
HENRY LANE SURVEY, ABSTRACT No. 927
CITY OF CROWLEY, TARRANT COUNTY, TEXAS
Date: December 2019



LINE & CURVE TABLE
SEE SHEET 3



OWNED/DEVELOPED BY:
BLOOMFIELD HOMES, LP
1050 E. HWY 114, SUITE 210
SOUTH LAKE, TX 76092
(817) 416-1572

PREPARED BY:
GOODWIN AND MARSHALL, INC.
CIVIL ENGINEERS ~ PLANNERS ~ SURVEYORS
2405 Mustang Drive, Grapevine, Texas 76051
(817) 329-4373
TBPCE REGISTRATION # F-2944
TBPES # 10021700



ZONED: SF-7.2

MATCH LINE SHEET 4



FINAL PLAT
OF
HUNTERS RIDGE, PHASE I
LOTS

1-47, 48X, 49X, BLOCK A, 1-12, 13X, 14X, BLOCK B
1-33, 34X, BLOCK C, 1-28, 29X, BLOCK D
1-19, 20X, BLOCK E, 1-26, 27X, BLOCK F
1-24, BLOCK G, 1-10, BLOCK H
1-24, BLOCK I, 1-21, BLOCK J

BEING
244 RESIDENTIAL LOTS
7 OPEN SPACE LOTS
1 GAS WELL LOT
90.084 ACRES
ZONING: SF-7.2

HIRAM WALKER SURVEY, ABSTRACT No. 1622,
HENRY LANE SURVEY, ABSTRACT No. 927
CITY OF CROWLEY, TARRANT COUNTY, TEXAS
Date: December 2019

LINE & CURVE TABLE
SEE SHEET 3

OWNED/DEVELOPED BY:
 **BLOOMFIELD
HOMES, LP**
 1050 E. HWY 114, SUITE 210
 SOUTHLAKE, TX 76092
 (817) 416-1572

PREPARED BY:

GOODWIN AND
MARSHALL INC.

CIVIL ENGINEERS ~ PLANNERS ~ SURVEYORS

2405 Mustang Drive, Grapevine, Texas 76051
(817) 329 - 4373
TBPE REGISTRATION # F-2944
TBPLS # 10021700

SHEET 2 of 5




LINE TABLE		
LINE #	BEARING	DISTANCE
L1	N45°11'34"W	17.68
L2	N35°30'50"E	22.71
L3	N56°55'01"E	50.33
L4	N89°48'26"E	36.25
L5	S85°30'15"E	39.45
L6	N27°33'55"E	12.56
L7	N85°30'15"W	39.45
L8	N02°11'15"W	42.08
L9	N04°29'45"E	65.17
L10	S85°30'15"E	28.94
L11	N47°09'20"E	20.40
L12	S79°41'05"E	21.21
L13	S44°47'21"W	14.14
L14	N45°11'24"W	14.14
L15	S44°48'26"W	10.61
L16	S45°11'34"E	10.61
L17	S44°48'26"W	10.61

LINE TABLE		
LINE #	BEARING	DISTANCE
L18	N45°11'20"W	10.61
L19	N44°48'40"E	10.61
L20	S45°11'20"E	10.61
L21	S44°48'40"W	10.61
L22	N54°29'10"W	13.21
L23	N13°29'11"E	10.89
L24	N79°39'09"W	10.89
L25	N14°55'36"W	10.13
L26	S42°50'40"E	11.03
L27	S44°48'40"W	10.61
L28	N45°11'20"W	10.61
L29	N47°09'20"E	10.16
L30	N42°50'40"W	11.03
L31	S49°29'45"W	10.61
L32	S40°30'15"E	10.61
L33	N49°29'45"E	10.61
L34	N74°32'21"E	10.97

LINE TABLE		
LINE #	BEARING	DISTANCE
L35	S00°00'00"E	8.44
L36	N40°30'15"W	10.61
L37	N49°29'45"E	10.61
L38	S80°41'56"E	10.79
L39	N09°31'36"E	10.46
L40	N87°53'14"W	12.01
L41	S10°18'55"W	10.61
L42	N27°32'09"E	10.79
L43	N60°26'34"W	10.79
L44	N40°29'49"W	10.61
L45	S49°29'45"W	10.61
L46	S40°30'15"E	10.61
L47	N47°09'20"E	10.16
L48	N42°50'40"W	11.03

CURVE TABLE					
CURVE #	RADIUS	ARC LENGTH	DELTA ANGLE	CHORD BEARING	CHORD LENGTH
C1	500.00	87.27	10°00'00"	N84°48'26"E	87.16
C2	1035.00	180.64	10°00'00"	N84°48'26"E	180.41
C3	795.00	138.75	10°00'00"	N84°48'26"E	138.58
C4	740.00	129.15	10°00'00"	N84°48'26"E	128.99
C5	300.00	38.95	7°26'19"	S86°28'25"E	38.92
C6	500.00	59.91	6°51'54"	S29°39'02"E	59.87
C7	500.00	256.14	29°21'06"	S47°45'32"E	253.35
C8	500.00	316.05	36°13'00"	N44°19'35"W	310.81
C9	125.00	81.98	37°34'44"	N75°42'23"E	80.52
C10	300.00	24.55	4°41'19"	S87°50'55"E	24.54
C11	210.00	245.31	66°55'50"	N61°01'50"E	231.60
C12	200.00	61.75	17°41'20"	S53°35'25"E	61.50
C13	200.00	35.12	10°03'40"	S39°42'55"E	35.08
C14	200.00	96.87	27°45'00"	N48°33'35"W	95.92
C15	500.00	341.91	39°10'50"	N74°54'20"E	335.29
C16	350.00	40.83	6°41'00"	N01°09'15"E	40.80
C17	475.00	55.41	6°41'00"	N01°09'15"E	55.38
C18	790.00	288.85	20°56'57"	N84°01'16"E	287.24
C19	790.00	251.38	18°13'53"	N64°25'51"E	250.32
C20	790.00	540.23	39°10'50"	N74°54'20"E	529.76
C21	500.00	164.52	18°51'10"	N07°01'37"W	163.78



OWNED/DEVELOPED BY:

BLOOMFIELD HOMES, LP
1050 E. HWY 114, SUITE 210
SOUTH LAKE, TX 76092
(817) 416-1572

PREPARED BY:

GOODWIN & MARSHALL, INC.
CIVIL ENGINEERS ~ PLANNERS ~ SURVEYORS

2405 Mustang Drive, Grapevine, Texas 76051
(817) 329-4373
TPE REGISTRATION # F-2944
TBPLS # 10021700




Joel S. Barton
1/5/2021

FINAL PLAT
OF
HUNTERS RIDGE, PHASE I
LOTS



1-47, 48X, 49X, BLOCK A, 1-12, 13X, 14X, BLOCK B
1-33, 34X, BLOCK C, 1-28, 29X, BLOCK D
1-19, 20X, BLOCK E, 1-26, 27X, BLOCK F
1-24, BLOCK G, 1-10, BLOCK H
1-24, BLOCK I, 1-21, BLOCK J

BEING
244 RESIDENTIAL LOTS
7 OPEN SPACE LOTS
1 GAS WELL LOT
90.084 ACRES
ZONING: SF-7.2

SITUATED IN THE
HIRAM WALKER SURVEY, ABSTRACT No. 1622,
HENRY LANE SURVEY, ABSTRACT No. 927
CITY OF CROWLEY, TARRANT COUNTY, TEXAS
Date: December 2019



BLOCK	LENGTH
D	934.01'
E	747.31'
F	1090.37'
G	769.30'
H	597.93'
I	756.06'
J	788.82'



VICINITY MAP 1"=1000'

LINE & CURVE TABLE
SEE SHEET 3

OWNED/DEVELOPED BY:
BLOOMFIELD HOMES, LP
1050 E. HWY 114, SUITE 210
SOUTH LAKE, TX 76092
(817) 416-1572

PREPARED BY:



Joel S. Barton
1/5/2021

GOODWIN AND MARSHALL INC.
CIVIL ENGINEERS ~ PLANNERS ~ SURVEYORS

2405 Mustang Drive, Grapevine, Texas 76051
(817) 329-4373
TPEE REGISTRATION # F-2944
TBPLS # 1002170

FINAL PLAT
OF
HUNTERS RIDGE, PHASE I
LOTS

1-47, 48X, 49X, BLOCK A, 1-12, 13X, 14X, BLOCK B
1-33, 34X, BLOCK C, 1-28, 29X, BLOCK D
1-19, 20X, BLOCK E, 1-26, 27X, BLOCK F
1-24, BLOCK G, 1-10, BLOCK H
1-21, BLOCK I, 1-21, BLOCK J
BEING

244 RESIDENTIAL LOTS
7 OPEN SPACE LOTS
1 GAS WELL LOT
90.084 ACRES

ZONING: SF-7.2
SITUATED IN THE
HIRAM WALKER SURVEY, ABSTRACT No. 1622,
HENRY LANE SURVEY, ABSTRACT No. 927
CITY OF CROWLEY, TARRANT COUNTY, TEXAS
Date: December 2019

OWNERS CERTIFICATE

STATE OF TEXAS:
COUNTY OF TARRANT:

WHEREAS, BLOOMFIELD HOMES, L.P., a Texas limited partnership is the owner of a tract of land situated in the H. Lane Survey, Abstract No. 927 and the H. Walker Survey, Abstract No. 1622, City of Crowley, Tarrant County, Texas, being a portion of Tract 1, Parcel B as described in deed to Bloomfield Homes, L.P., recorded in D220347026, Official Public Records, Tarrant County (OPRCT), and being more particularly described as follows:

BEGINNING at 1/2" rebar capped Landes & Assoc found in the east line of North Crowley Road (F.M. 731 - variable width R.O.W.) at the northwest corner of Lot 1, Block 1, H.F. Stevens Addition, an addition to the City of Crowley, Tarrant County, Texas as recorded in Cabinet A, Slide 1601, Plat Records, Tarrant County, Texas, said point being the most westerly southwest corner of said Bloomfield Tract 1, Parcel B;

THENCE North 00 degrees 11 minutes 13 seconds West, along the east line of said North Crowley Road and the west line of said Bloomfield Tract 1, Parcel B, a distance of 315.00 feet to a 1/2" capped rebar capped Goodwin & Marshall set (hereafter referred to as 1/2" rebar capped set) at the most westerly northwest corner of the herein described tract of land, from which the southwest corner of F.M. 731, Parcel II as described in deed to the State of Texas, recorded in Volume 9620, Page 412, Deed Records, Tarrant County, Texas (DRTCT) bears North 00 degrees 11 minutes 13 seconds West, 573.69 feet;

THENCE departing the east line of said North Crowley Road, across said Bloomfield Tract 1, Parcel B, as follows:

North 89 degrees 48 minutes 26 seconds East, a distance of 449.97 feet to a 1/2" rebar capped set;

North 00 degrees 11 minutes 34 seconds West, a distance of 550.00 feet to a 1/2" rebar capped set;

North 89 degrees 48 minutes 26 seconds East, a distance of 450.00 feet to a 1/2" rebar capped set;

South 37 degrees 43 minutes 27 seconds East, a distance of 270.37 feet to a 1/2" rebar capped set;

North 63 degrees 48 minutes 24 seconds East, a distance of 405.31 feet to a 1/2" rebar capped set;

South 41 degrees 49 minutes 47 seconds East, a distance of 168.08 feet to a 1/2" rebar capped set;

South 65 degrees 50 minutes 05 seconds East, a distance of 141.47 feet to a 1/2" rebar capped set;

North 75 degrees 05 minutes 07 seconds East, a distance of 251.24 feet to a 1/2" rebar capped set;

South 39 degrees 36 minutes 24 seconds East, a distance of 170.75 feet to a 1/2" rebar capped set;

South 83 degrees 49 minutes 04 seconds East, a distance of 226.96 feet to a 1/2" rebar capped set;

North 75 degrees 02 minutes 41 seconds East, a distance of 271.06 feet to a 1/2" rebar capped set;

South 24 degrees 47 minutes 51 seconds East, a distance of 146.25 feet to a 1/2" rebar capped set;

South 13 degrees 32 minutes 13 seconds West, a distance of 222.18 feet to a 1/2" rebar capped set;

South 54 degrees 05 minutes 48 seconds East, a distance of 320.27 feet to a 1/2" rebar capped set;

South 81 degrees 58 minutes 06 seconds East, a distance of 433.23 feet to a 1/2" rebar capped set;

South 08 degrees 28 minutes 42 seconds East, a distance of 314.18 feet to a 1/2" rebar capped set;

South 45 degrees 53 minutes 47 seconds East, a distance of 785.02 feet to a 1/2" rebar capped set;

North 61 degrees 02 minutes 23 seconds East, a distance of 238.32 feet to a 1/2" rebar capped set;

South 04 degrees 47 minutes 22 seconds East, a distance of 400.36 feet to a 1/2" rebar capped set in the south line of said Bloomfield Tract 1, Parcel B and the north line of a tract of land as described in deed to Texas Electric Service Company (hereafter referred to as TESCO), recorded in Volume 3541, Page 516, DRTCT, from which a 6" wood fence corner post found at the most southerly southeast corner of said Bloomfield Tract 1, Parcel B and the northeast corner of a tract of land as described in deed to TESCO, recorded in Volume 3548, Page 12, DRTCT bears North 89 degrees 41 minutes 32 seconds East, 1747.38 feet;

THENCE South 89 degrees 41 minutes 32 seconds West, along the south line of said called Bloomfield Tract 1, Parcel B and the north line of said TESCO tract recorded in Volume 3541, Page 516, DRTCT, a distance of 111.55 feet to a 1/2" rebar capped set at an angle point in the south line of said Bloomfield Tract 1, Parcel B, being the most easterly corner of a tract of land as described in deed to TESCO, recorded in Volume 3529, Page 464, DRTCT, from which a 3/4" rebar found at the southwest corner of said TESCO tract recorded in Volume 3529, Page 464, DRTCT bears South 89 degrees 41 minutes 32 seconds West, 1331.90 feet, and a 1/2" rebar found at the southwest corner of a tract of land as described in deed to TESCO, recorded in Volume 3539, Page 342, DRTCT bears South 89 degrees 41 minutes 32 seconds West, 3941.23 feet;

THENCE North 85 degrees 30 minutes 15 seconds West, along the south line of said Bloomfield Tract 1, Parcel B, the north line of said TESCO tract recorded in Volume 3529, Page 464, DRTCT, and the north line of said TESCO tract recorded in Volume 3539, Page 342, DRTCT, at a distance of 1.8 feet passing a disturbed 1/2" rebar found, continuing a total distance of 2,584.88 feet to a point in the east line of said Lot 1, Block 1, H.F. Stevens Addition at the most southerly southwest corner of said Bloomfield Tract 1, Parcel B, from which a TESCO monument found at the southwest corner of said addition and the northwest corner of said TESCO tract recorded in Volume 3539, Page 342, DRTCT bears North 85 degrees 30 minutes 15 seconds West, 1369.41 feet (plat 1369.57 feet) and a 1/2" rebar capped Landes & Assoc found bears South 00 degrees 11 minutes 06 seconds East, 0.32 feet;

THENCE North 00 degrees 11 minutes 06 seconds West, along the east line of said Lot 1, Block 1, H.F. Stevens Addition and a reentrant line of said Bloomfield Tract 1, Parcel B, a distance of 911.82 feet (plat 911.75 feet) to a 5/8" rebar capped AW 4186 found at the northeast corner of said addition;

THENCE South 89 degrees 48 minutes 26 seconds West, along the north line of said Lot 1, Block 1, H.F. Stevens Addition and a reentrant line of said Bloomfield Tract 1, Parcel B, a distance of 1,364.84 feet (plat 1365.00 feet) to the POINT OF BEGINNING and containing 3,924,056 square feet or 90.084 acres of land.

NOW, THEREFORE, known all men by these presents:

That BLOOMFIELD HOMES, L.P., a Texas limited partnership through the undersigned authority does hereby adopt this plat designating the herein above described property as HUNTERS RIDGE, PHASE I, LOTS 1-47, 48X, 49X, BLOCK A, LOTS 1-12, 13X, 14X, BLOCK B, LOTS 1-33, 34X, BLOCK C, LOTS 1-28, 29X, BLOCK D, LOTS 1-19, 20X, BLOCK E, LOTS 1-26, 27X, BLOCK F, LOTS 1-24, BLOCK G, LOTS 1-10, BLOCK H, LOTS 1-24, BLOCK I, LOTS 1-21, BLOCK J, an addition to the City of Crowley, Tarrant County, Texas, and does hereby dedicate to the public use forever the streets and alleys shown hereon; and does hereby dedicate the easement strips shown on the plat for mutual use and accommodation of the City of Crowley and all public utilities desiring to use, or using same. No building, fences, trees, shrubs, signs or other improvements shall be constructed or placed upon, over or across the easement strips on said plat. The City of Crowley and any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, signs or other improvements or growths which in any way endanger or interfere with the construction, maintenance or efficiency of its respective system on any of these easement strips, and the City of Crowley and any public utility shall at all times have the right of ingress and egress to and from and upon any said easement strips for the purpose of constructing, reconstructing, inspecting, patrolling, maintaining and adding to or removing all or part of its respective system without the necessity at any time of procuring the permission of anyone. A blanket easement of a three-foot radius from the center point of all fire hydrants and a two-foot radius from the center point of all other appurtenances (fire hydrant valves, water meters, meter boxes) is hereby granted to the City of Crowley for the purpose of constructing, reconstructing, inspecting and maintaining the above named appurtenances. We do further dedicate, subject to the expectations and reservations set forth hereinafter, to the public use forever, all public use spaces shown on the face of the plat.

Witness our hand this the 26th day of JANUARY, 2021.

Bloomfield Homes, L.P.,
a Texas limited partnership

By: Bloomfield Properties, Inc.,
a Texas corporation, General Partner

By: Donald J. Dykstra, President

STATE OF TEXAS:
COUNTY OF TARRANT:

BEFORE ME, the undersigned Notary Public in and for said county and state, on this day personally appeared Donald J. Dykstra, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purposes and considerations therein and expressed and in the capacity therein stated.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this the 26th day of January, 2021.

Sherri A Taylor
Notary Public in and for the State of Texas
My Commission Expires: 06/03/2024



SURVEYOR CERTIFICATION

This is to certify that I, Joel S. Barton, a Registered Professional Land Surveyor of the State of Texas, have platted the above subdivision from an actual survey made under my supervision on the ground, and all monuments and corner pins shown exist and are correctly described and are properly marked on the ground, and that this plat represents the survey made by me.

Joel S. Barton
Joel S. Barton
Registered Professional Land Surveyor No. 4914
Goodwin and Marshall, Inc.
2405 Mustang Drive
Grapevine, Texas 76051
(817) 329-4373
1/5/2021



LOT SUMMARY TABLE			
BLOCK/LOT	(SQ. FT.)	TREE REQ.	
A/1	11100	3	
A/2	12025	3	
A/3	12025	3	
A/4	11100	3	
A/5	12025	3	
A/6	12025	3	
A/7	10284	3	
A/8	8125	2	
A/9	8125	2	
A/10	9325	2	
A/11	14525	3	
A/12	8183	2	
A/13	7200	2	
A/14	7200	2	
A/15	7200	2	
A/16	7200	2	
A/17	7200	2	
A/18	7320	2	
A/19	7406	2	
A/20	7311	2	
A/21	7311	2	
A/22	7313	2	
A/23	7261	2	
A/24	7220	2	
A/25	7210	2	
A/26	7200	2	
A/27	7200	2	
A/28	7200	2	
A/29	7200	2	
A/30	7200	2	
A/31	7222	2	
A/32	7286	2	
A/33	8132	2	
A/34	7200	2	
A/35	7200	2	
A/36	7571	2	
A/37	8478	2	
A/38	8478	2	
A/39	8478	2	
A/40	7605	2	
A/41	7200	2	
A/42	7200	2	
A/43	7800	2	
A/44	7800	2	
A/45	7800	2	
A/46	7800	2	
A/47	11023	3	
B/1	9723	3	
B/2	7200	2	
B/3	7200	2	

LOT SUMMARY TABLE			
BLOCK/LOT	(SQ. FT.)	TREE REQ.	
B/4	7255	2	
B/5	14390	3	
B/6	10043	3	
B/7	7202	2	
B/8	11923	3	
B/9	15502	3	
B/10	11173	3	
B/11	8666	2	
B/12	14326	3	
C/1	15102	3	
C/2	8321	2	
C/3	7680	2	
C/4	7313	2	
C/5	7202	2	
C/6	7200	2	
C/7	7200	2	
C/8	7200	2	
C/9	7200	2	
C/10	7200	2	
C/11	7200	2	
C/12	7200	2	
C/13	7200	2	
C/14	7200	2	
C/15	7200	2	
C/16	7200	2	
C/17	7200	2	
C/18	7253	2	
C/19	12831	3	
C/20	10932	3	
C/21	7715	2	
C/22	7200	2	
C/23	7200	2	
C/24	7200	2	
C/25	7800	2	
C/26	7200	2	
C/27	7200	2	
C/28	7200	2	
C/29	7801	2	
C/30	7200	2	
C/31	7200	2	
C/32	7200	2	
C/33	9271	2	
D/1	9272	2	
D/2	7200	2	
D/3	7200	2	
D/4	7200	2	
D/5	7200	2	
D/6	7196	2	
D/7	7221	2	
D/8	7920	2	

LOT SUMMARY TABLE			
BLOCK/LOT	(SQ. FT.)	TREE REQ.	
D/9	7311	2	
D/10	7918	2	
D/11	7280	2	
D/12	7830	2	
D/13	8013	2	
D/14	9275	2	
D/15	9273	2	
D/16	8019	2	
D/17	7807	2	
D/18	7257	2	
D/19	7920	2	
D/20	7311	2	
D/21	7916	2	
D/22	7216	2	
D/23	7200	2	
D/24	7200	2	
D/25	7200	2	
D/26	7200	2	
D/27	7200	2	
D/28	9272	2	
E/1	11059	3	
E/2	7934	2	
E/3	8927	2	
E/4	8352	2	
E/5	8185	2	
E/6	8063	2	
E/7	8479	2	
E/8	7558	2	
E/9	12055	3	
E/10	11940	3	
E/11	7200	2	
E/12	7224	2	
E/13	7826	2	
E/14	7273	2	
E/15	7224	2	
E/16	7224	2	
E/17	7826	2	
E/18	7224	2	
E/19	9920	3	
F/1	10782	3	
F/2	7200	2	
F/3	7200	2	
F/4	7200	2	
F/5	7200	2	
F/6	7200	2	
F/7	7200	2	
F/8	7200	2	
F/9	7200	2	
F/10	7222	2	
F/11	11557	3	

LOT SUMMARY TABLE		
BLOCK/LOT	(SQ. FT.)	TREE REQ.
F/12	14462	3
F/13	17552	3
F/14	8035	2
F/15	7800	2
F/16	7800	2
F/17	7800	2
F/18	7800	2
F/19	7800	2
F/20	7200	2
F/21	7200	2
F/22	7200	2
F/23	7200	2
F/24	7200	2
F/25	7200	2
F/26	9626	3
G/1	10591	3
G/2	7800	2
G/3	7800	2
G/4	7200	2
G/5	7200	2
G/6	7200	2
G/7	7800	2
G/8	7200	2
G/9	7200	2
G/10	7200	2
G/11	7800	2
G/12	9272	2
G/13	9272	2
G/14	7800	2
G/15	7200	2
G/16	7200	2
G/17	7200	2
G/18	7800	2
G/19	7200	2
G/20	7200	2
G/21	7200	2
G/22	7800	2
G/23	7200	2
G/24	10012	3
H/1	11645	3
H/2	9420	2
H/3	9581	2
H/4	12799	3
H/5	12779	3
H/6	7800	2
H/7	8880	2
H/8	9854	3
H/9	9916	3
H/10	11199	3
I/1	9675	3